
UNIQ®FOAM LP2500



Water based silicone defoamer



UNIQ® FOAM LP2500 is a strong defoamer based on organic silicone, this product can be used for grinding and spraying conditions. Working well against micro-foam, therefore also well suited for all water-based and pigment concentrates.

Special Features

- Water based applications
- Strong defoamer for grinding conditions
- Long term persistent
- Silicone based
- Heat stable

Application

Architectural coatings	
Wood and furniture coatings	
Automotive and refinish coatings	
Can/coil coatings	
Pigment concentrates	
Protective coatings	
Industrial coatings	

highly recommended ■

recommended 🗖

Product Specification

Density 20°C Color **Appearance**

0,97 g/cm³ Max. 1 Slightly turbid liquid

Packaging

- 25 kg
- 200 kg

Addition levels

Based on total formulation: 0.1 - 1.0 %

Most of time 0.3% is sufficient.

Shelf life

UNIQ®FOAM LP2500 should be stored in a cool dry place. When kept in an original unopened container, it will keep up to 2 years from the date of manufacture.

UNIQCHEM (UK) CO., LTD

www.uniqchem.com Info@uniqchem.com

UNIQ®FOAM, UNIQ®FLOW, UNIQ®WET, UNIQ®SPERSE, UNIQ®LIGHT, UNIQ®COLOR, UNIQ®MICA, UNIQ®CURE, UNIQ®JET

This information is given to the best of our knowledge. Because of the multitude of formulations, production and application conditions, all the above mentioned statements have to be adjusted to the circumstances of the processor.